

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Aspen Transmission Oil 5W-50

1.2 Relevant identified uses of the substance or mixture and uses advised against

Transmission oil

1.3 Details of the supplier of the safety data sheet

Supplier	Lantmännen Aspen AB Iberovägen 2 438 54 Hindås, Sweden Telephone +46 (0)301-23 00 00 E-mail info@aspen.se
----------	---

1.4 Emergency telephone number

In emergency situations, contact National Poisons Information Service, NHS 111 or a doctor.

SECTION 2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

The product does not meet the criteria for classification according to Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

EUH 208. Contains Calcium long-chain alkaryl sulfonate. May produce an allergic reaction.
EUH 210. Safety data sheet available on request.

2.3 Other hazards

Repeated exposure may cause skin dryness.

SECTION 3. COMPOSITION/INFORMATION OM INGREDIENTS

3.2 Mixtures

Classification according to Regulation (EC) No 1272/2008 [CLP]

Name	EC no.	CAS no.	REACH reg no.	% (w/w)	Hazard statements
Polyolefin polyamine succinimide ¹	-	-	-	2.5-<10	Aquatic Chronic 3, H413
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts ²	272-028-3	68649-42-3	01-2129657973-23	1-<2.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phenol, 2,2'-polythiobis[4-C8-30-alkyl derivs., calcium salts, overbased	291-829-9	90480-91-4	**	1-<2.5	Aquatic Chronic 4, H413
Calcium long-chain alkaryl sulfonate ¹	-	-	-	0.1-<1	Skin Sens. 1, H317 Skin Irrit. 2, H315

** Not available or REACH registration not required

1) Identity confidential

2) Does not contribute to classification as eye irritant due to interaction with another component in the product.

Other information

For a full text of hazard statements: see Section 16

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

After inhalation: Fresh air and rest. If difficulties in breathing get medical advice.
 After eye contact: Rinse the eyes gently with water. If symptoms persist consult a doctor.
 After skin contact: Take off contaminated clothing. Wash skin with soap and water.
 After ingestion: Rinse mouth and drink water. Do **not** induce vomiting. Contact a doctor if experiencing symptoms.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: In case of overheating, smoke and fumes appear irritating to the upper respiratory tract and lungs.
 Eye: May cause mild eye irritation.
 Skin: May produce an allergic reaction. Repeated and prolonged contact may appear dehydrating on the skin and cause redness, skin cracking and eczema (dermatitis).
 Ingestion: Small amounts are not expected to produce any acute or delayed symptoms. Large amounts may cause nausea and vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

-

Aspen Transmission Oil 5W-50

12.11.2020

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Can be extinguished using dry powder, foam or carbon dioxide.

Unsuitable extinguishing media: Do not use direct water jet.

5.2 Special hazards arising from the substance or mixture

In case of fire, toxic and corrosive gases may develop.

5.3 Advice for firefighters

Precautions according to the standard procedure for chemical fires. Use water **only** to cool down containers that are exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

6.2 Environmental precautions

Do not allow discharge to enter sewers, watercourses or the ground.

6.3 Methods and material for containment and cleaning up

Contain/absorb spillages with suitable absorbent material such as sand or active clay.

6.4 Reference to other sections

See Section 8 for Exposure controls / personal protection and Section 13 for disposal considerations.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid prolonged or repeated contact with skin.

Do not reuse soiled clothing unless laundered.

Avoid inhalation of vapours, mist or fumes.

7.2 Conditions for safe storage, including any incompatibilities

Containers must be kept tightly closed and sealed. Keep out of reach of children.

7.3 Specific end use

See Section 1.

Aspen Transmission Oil 5W-50

12.11.2020

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure limits according to National regulations

Contains no substances with occupational exposure limits in the workplace. This information refers to Great Britain.¹ For other countries, refer to national legislation.

¹For Great Britain see: Health and Safety Executive EH40/2005 Workplace exposure limits (third edition, published 2018). Published by the Health and Safety Executive. OELs for oil mist have been omitted from the published 2018 list.

8.2 Exposure controls

Appropriate technical measures

Ensure adequate ventilation. Methods are designed to prevent direct contact.

Personal protection

Respiratory protection:	Usually not needed.
Eye/face protection:	Wear eye protection (safety glasses with side shields or full face shield) when risk of splashing.
Skin protection:	Wear protective gloves (nitrile or PVC) and protective clothing.

Environmental exposure control

Prevent discharges into drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance:	Brown oil
Odour:	Characteristic
Odour treshold:	No information
pH:	No information
Melting point / freezing point:	-36 °C
Initial boiling point and boiling range:	Not available
Flash point:	>60 °C
Evaporation rate:	Not available
Flammability (solid, gas):	Not relevant
Upper / lower flammability or explosive limits:	No information
Vapour pressure:	<300 kPa (50 °C)
Vapour density:	No information
Density:	855 kg/m ³ (20 °C)
Solubility in water:	Insoluble
Solubility in organic solvents	Soluble in hydrocarbons
Partition coefficient, n-octanol/water:	Not available
Decomposition temperature:	No information
Auto-ignition temperature:	No information
Viscosity, kinematic:	108 cSt (40 °C)
Explosive properties:	Not available
Oxidising properties:	Not applicable

Aspen Transmission Oil 5W-50

12.11.2020

9.2 Other information

None.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

The product is not reactive under normal conditions.

10.2 Chemical stability

The product is stable under normal conditions.

10.3 Possibility of hazardous reactions

None known.

10.4 Conditions to avoid

None specific.

10.5 Incompatible materials

The product may react with strong oxidizing agents. Avoid strong bases.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11. TOXIKOLOGICAL INFORMATION

11.1 Information on toxikological effects

Acute toxicity

Not considered to be acutely toxic.

Corrosive / irritating on the skin

Repeated and prolonged contact may appear dehydrating on the skin and cause redness, skin cracking and eczema (dermatitis).

Serious eye damage / irritation

May cause mild eye irritation.

Respiratory / skin sensitization

May produce an allergic reaction.

Germ cell mutagenicity

It is considered not to cause mutations in germ cells.

Carcinogenicity

Not considered to be carcinogenic.

Toxic to reproduction

Not considered to be toxic to reproduction.

Aspen Transmission Oil 5W-50

12.11.2020

Specific organ toxicity-single exposure

In case of overheating, smoke and fumes appear irritating to the upper respiratory tract and lungs.

Specific organ toxicity-repeated exposure

No information available.

Aspiration Hazard

Considered not to be an aspiration hazard..

SECTION 12. ECOLOGICAL INFORMATION

The product is not classified as hazardous to the environment.

12.1 Toxicity

Phosphorodithioic acid, O,O- di-C1-14-alkyl esters, zinc salts	LC ₅₀ Fish 96 h: 1-10 mg/L EC ₅₀ Daphnia 48 h: 1-10 mg/L EC ₅₀ Algae 72 h: 1-10 mg/L
--	---

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

The product is insoluble in water and is not considered to be mobile in soil.

12.5 Results of PBT och vPvB assessment

Based on available information, this mixture contains no substance that meets the PBT or vPvB criteria according to Annex XIII to Regulation (EC) No. 1907/2006 (REACH).

12.6 Other adverse effects

None known.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Product residues, spills etc. are classified as hazardous waste. Disposal, transportation, storage and handling of the waste must be in accordance with national regulations. Product waste must not be allowed to contaminate soil or water, or released into the environment.

Suggested waste code (EWC): 13 02 06*: Synthetic engine, gear and lubricating oils.

Packaging

EWC-code: 15 01 02, Plastic packaging

EWC-code: 15 01 04, Metallic packaging



Aspen Transmission Oil 5W-50

12.11.2020

Packaging containing product residues that are not drip dry must be handled as hazardous waste and disposed of properly sealed.

EWC-code: 15 01 10, Packaging containing residues of or contaminated by hazardous substances.

SECTION 14. TRANSPORT INFORMATION

The product is not covered by the regulations for the transport of dangerous goods.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet is prepared in accordance with the EUROPEAN PARLIAMENT AND COUNCIL REGULATION (EC) No 1907/2006 of 18 December 2006 concerning the registration, evaluation, authorization and restriction of chemicals (REACH) and Commission Regulation (EU) No 2015/830 of 28 May 2015 amending the European Parliament and Council Regulation (EC) No 1907/2006 on the registration, evaluation, authorization and restriction of chemicals (REACH).

Regulations

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substance and mixtures (CLP).

Commission Regulation (EU) No 1357/2014 of 18 December 2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Classification procedure

Test data is prioritized when classifying the product. When no test data are available the classification criteria in Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures (CLP) have been used.

Hazard statements in Section 3

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Abbreviations

BCF	Bio Concentration Factor
BOD5/COD	Biological Oxygen Demand 5 days/Chemical Oxygen demand
BOD (MITI)	Biological Oxygen Demand
DNEL	Derived No Effect Level
EC50	Effective Concentration (concentration that gives response in 50% of test subjects)
ECHA	European Chemical Agency

Aspen Transmission Oil 5W-50

12.11.2020

EmS	Emergency Schedule Information
IARC	International Agency for Research on Cancer
IC50	Inhibitory Concentration (concentration that shows inhibition in 50% of the test subjects)
LC50	Lethal Concentration (concentration causing the death of 50% of a group of test animals)
LD50	Lethal Dose (dose causing the death of 50% of a group of test animals)
Log Pow	Partition coefficient of octanol - water
MITI	Ministry of International Trade and Industry, Japan
NOEC	No Observed Effect Concentration
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bio-accumulative and Toxic substance
PNEC	Predicted No Effect Concentration
STEL	Short Term Exposure Limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	very Persistent and very Bioaccumulative

Advice on education

The user of this product should have training that is relevant to the properties of the product and relevant use.

References

Information from the supplier: SDS in English, revision no. 1.
Classification & Labelling Inventory Database, ECHA.
Registered substances, ECHA.

Version description

The information has been modified under the following sections in the safety data sheet: 1
The safety data sheet is dated 12.11.2020 and and replaces the version dated 15.01.2020.